



Equipment

Designation	Technology	Nozzle size	Fluid output	Max fan width at 20cm (8in)	Part number
Gun FStart P HVLP-12-XLva	HVLP	1.2	205 cc/mn (6.9 oz/mn)	XL: > 40cm (> 15.7 in)	135756312
Gun FStart P HVLP-15-XLva	HVLP	1.5	300 cc/mn (10.1 oz/mn)	XL: > 40cm (> 15.7 in)	135756315
Gun FStart P HVLP-18-XLva	HVLP	1.8	400 cc/mn (13.5 oz/mn)	XL: > 40cm (> 15.7 in)	135756318
Gun FStart P CONV-12-XLva	CONV	1.2	205 cc/mn (6.9 oz/mn)	XL: > 40cm (> 15.7 in)	135756412
Gun FStart P CONV-15-XLva	CONV	1.5	300 cc/mn (10.1 oz/mn)	XL: > 40cm (> 15.7 in)	135756415
Gun FStart P CONV-18-XLva	CONV	1.8	400 cc/mn (13.5 oz/mn)	XL: > 40cm (> 15.7 in)	135756418

Kits

Designation	Gun	Hoses dimensions	Part number
Pack Airspray Lucky 2 "FStart P HVLP + Tank 2L"	FStart P HVLP-12-XLva	1.6m Air - ID8mm 1.6m Fluid - ID3.2mm	152756420
Pack Airspray Lucky 10 "FStart P HVLP + Tank 10L CST"	FStart P HVLP-12-XLva	7.5m Air - ID8mm 7.5m Fluid - ID6.5mm	152756425
Pack Airspray Lucky 2 "FStart P CONV + Tank 2L"	FStart P CONV-15-XLva	1.6m Air - ID6.5mm 1.6m Fluid - ID3.2mm	152756550
Pack Airspray Lucky 10 "FStart P CONV + Tank 10L CST"	FStart P CONV-15-XLva	7.5m Air - ID6.5mm 7.5m Fluid - ID6.5mm	152756555

Spare Parts

Designation	Part number
Maintenance kit for FStart P/S	129756902
Nozzle + Needle FStart HVLP-12	131756112
Nozzle + Needle FStart HVLP-15	131756115
Nozzle + Needle FStart HVLP-18	131756118
Nozzle + Needle FStart CONV-12	131756212
Nozzle + Needle FStart CONV-15	131756215
Nozzle + Needle FStart CONV-18	131756218
Aircap FStart P HVLP-1218-XLva	132756310
Aircap FStart P CONV-12-XLva	132756410
Aircap FStart P CONV-1518-XLva	132756420




FStart P

Pressure Airspray Spray Gun

Airspray / Manual Guns



JOB IS DONE!

-  **Good value for money**
-  **Comfortable spray gun**
-  **Easy to repair**



Markets



FStart P

Pressure Airspray Spray Gun

The FStart P spray gun is the right choice for spraying low to medium viscosity materials at an entry level price, while ensuring a good quality finish.

SAMES KREMLIN's FStart P spray guns make it easy and cost-effective to apply water-based or solvent-based coatings.

HVLP & Conventional sprayers are available to meet the needs of small to large finishing shops. The FStart P spray guns can be used by both beginners and experienced professionals giving a desired high-quality finish.

The FStart spray guns are the result of 95 years of experience in Airspray technology. In addition to being an economical solution, this new Airspray gun has a comfortable and ergonomic design and is one of the lightest guns in its class.

Technical data table

Designation	Value	Unit: metric (US)
Maximum Fluid Pressure	6 (87)	bar (psi)
Maximum Air Pressure	6 (87)	bar (psi)
Air Inlet	M 1/4" NPS	
Fluid Inlet	M 3/8" NPS	
Stainless Steel, Aluminum Wetted Parts	•	
Recommended CONV Air Pressure	2.5 (36) – 3.5 (51)	bar (psi)
Recommended HVLP/LVLP Air Pressure	1.5 (22) – 2.5 (36)	bar (psi)
Air Consumption CONV (at 2.5 - 3.5 bar / at 36 - 51 psi)	22.1 (13)	m3/h (cfm)
Air Consumption HVLP/LVLP (at 1.5 - 2.5 bar / at 22 - 36 psi)	19.4 (11.4)	m3/h (cfm)
Trigger Pull	16 (3.6)	N (lbs)
Weight	402 (14.2)	g (oz)



HVLP



Airspray Conventional

Performance

- 1 Fine adjustments to achieve the perfect spray pattern for all applications
- ◆ SAMES KREMLIN finishing quality at entry price level
- ◆ SAMES KREMLIN's experience in Airspray since 1924

Productivity

- 2 "Fine atomization" aircap adjustable to 360°
- 3 Soft springs for a responsive and reduced trigger pull
- 3 New trigger design for more comfort
- 4 One of the lightest manual spray guns in its category ensuring a reduction of carpal tunnel injuries

Sustainability

- 5 Aluminum body for easy cleaning
- ◆ A small investment for long term use: Only one maintenance kit for reduced inventory

